

Fujitsu Scanner Product Matrix










1/23/2011

ScanSnap Winter 2011		ScanSnap						Network	
		S1100	S1100 Deluxe Bundle	S1300	S1300 Deluxe Bundle	S1500	S1500 Deluxe Bundle	S1500M	ScanSnap fi-6010N iScanner
List Price		\$199.00	TBD	\$295.00	\$349.00	\$495.00	\$595.00	\$495.00	\$2,995.00
Part #		PA03610-B005	PA03610-B055	PA03603-B005	PA03603-B015	PA03586-B005	PA03586-B015	PA03586-B105	PA03544-B205
Platform supported in the box		PC & Mac	PC (Mac Driver)	PC & Mac	PC & Mac	PC (Mac Driver)	PC (Mac Driver)	Mac (PC Driver)	PC
Monochrome (Speed) ²	200 dpi	N/A	N/A	N/A	N/A	N/A	N/A	N/A	25 ppm / 50 ipm
	300 dpi	7.5 sec per page	7.5 sec per page	A/C: 8 ppm / 16 ppm USB: 4 ppm / 8 ipm	A/C: 8 ppm / 16 ppm USB: 4 ppm / 8 ipm	20 ppm / 40 ipm	20 ppm / 40 ipm	20 ppm / 40 ipm	24 ppm / 24 ipm
Color (Speed) ²	150 dpi	7.5 sec per page	7.5 sec per page	A/C: 8 ppm / 16 ppm USB: 4 ppm / 8 ipm	A/C: 8 ppm / 16 ppm USB: 4 ppm / 8 ipm	20 ppm / 40 ipm	20 ppm / 40 ipm	20 ppm / 40 ipm	30 ppm / 60 ipm
	200 dpi	7.5 sec per page	7.5 sec per page	A/C: 6 ppm / 12 ipm USB: 3 ppm / 6 ipm	A/C: 6 ppm / 12 ipm USB: 3 ppm / 6 ipm	20 ppm / 40 ipm	20 ppm / 40 ipm	20 ppm / 40 ipm	25 ppm / 50 ipm
	300 dpi	7.5 sec per page	7.5 sec per page	A/C: 4 ppm / 8 ipm USB: 2 ppm / 4 ipm	A/C: 4 ppm / 8 ipm USB: 2 ppm / 4 ipm	20 ppm / 40 ipm	20 ppm / 40 ipm	20 ppm / 40 ipm	24 ppm / 24 ipm
Grayscale		Yes	Yes	Yes	Yes	Yes	Yes	Yes	8 bit / 256 levels
Simplex / Duplex		Simplex	Simplex	Duplex	Duplex	Duplex	Duplex	Duplex	Duplex
Flatbed (Dim.)		N/A	N/A	N/A	N/A	N/A	N/A	N/A	No
Resolution	Optical	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi
	Output	Up to 1200 dpi	Up to 1200 dpi	Up to 1200 dpi	Up to 1200 dpi	Up to 1200 dpi	Up to 1200 dpi	Up to 1200 dpi	Up to 600 dpi
Embossed Cards	Support	Yes (0.76 mm)	Yes (0.76 mm)	No	No	No	No	No	Yes
	Orientation	Portrait & Landscape	Portrait & Landscape	N/A	N/A	N/A	N/A	N/A	Portrait
	Continuous	N/A	N/A	N/A	N/A	N/A	N/A	N/A	No
ADF (Paper)	ADF Capacity (A4)	1 Sheet	1 Sheet	10 Sheets	10 Sheets	50 Sheets	50 Sheets	50 Sheets	50 Sheets
	Min Paper Size	1" x 1"	1" x 1"	2" x 2"	2" x 2"	2.1" x 2.9"	2.1" x 2.9"	2.1" x 2.9"	2.1" x 2.9"
	Max Paper Size	34"	34"	Legal (8.5" x 14")	Legal (8.5" x 14")	Legal (8.5" x 14.17")	Legal (8.5" x 14.17")	Legal (8.5" x 14.17")	Legal (8.5" x 14")
	Paper Weight	14 - 56 lb. (Straight Path)	14 - 56 lb. (Straight Path)	17 - 28 lb.	17 - 28 lb.	14 - 34 lb.	14 - 34 lb.	14 - 34 lb.	14 - 34 lb.
Long Document		Yes (34 in.)	Yes (34 in.)	Yes (34 in.)	Yes (34 in.)	Yes (34 in.)	Yes (34 in.)	Yes (34 in.)	Yes (Up to 34") ¹
Paper Protection		No	No	No	No	No	No	No	No
Interface		USB 2.0 (3.0)	USB 2.0 (3.0)	USB 2.0	USB 2.0	USB 2.0	USB 2.0	USB 2.0	RJ45 Network
Driver Support		SS Manager V5.1	SS Manager V5.1	SS Manager V5.0	SS Manager V5.0	SS Manager V5.0	SS Manager V5.0	SS Manager V4.0	N/A
Daily Duty Cycle		Up to 50	Up to 50	Up to 100	Up to 100	Up to 250	Up to 250	Up to 250	Up to 2,000
Multi-Feed	Detection	No	No	No	No	Ultra-Sonic and Length	Ultra-Sonic and Length	Ultra-Sonic and Length	Ultra Sonic / Length
	iMFF	No	No	No	No	Bypass	Bypass	Bypass	No
Image Enhancement		Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Color Dropout		No	No	No	No	No	No	No	Red, Green, Blue
Bundled Software		---PC--- Manager V5.1 • Organizer V4.1 CardMinder V4.1 • FineReader 4.1 (PC) Connect to SharePoint • Evernote (PC) ---Mac--- Manager V3.1 • Cardiris V3.6 FineReader 4.1 (Mac) • Evernote (Mac)	---PC--- Rack2-Filer V5.0 • Manager V5.1 Organizer V4.1 • CardMinder V4.1 FineReader 4.1 (PC) Connect to SharePoint ---Mac--- Evernote (PC) ---Mac--- Manager V3.1 • Cardiris V3.6 FineReader 4.1 (Mac) • Evernote (Mac)	---PC--- Manager V5.1 • Organizer V4.1 CardMinder V4.1 • FineReader 4.1 (PC) Connect to SharePoint ---Mac--- Manager V3.1 • Cardiris 3.6 FineReader 4.1 (Mac)	---PC--- Rack2-Filer V5.0 • Manager V5.1 Organizer V4.1 • CardMinder V4.1 FineReader 4.1 (PC) Connect to SharePoint ---Mac--- Manager V3.1 • Cardiris 3.6 FineReader 4.1 (Mac)	---PC--- Adobe Acrobat 9 Std. • Manager V5.0 Organizer V4.0 • CardMinder V4.0 FineReader 4.0 Connect to SharePoint ---Mac--- Manager V3.0	---PC--- Rack2-Filer V5.0 • Adobe Acrobat 9 Std. Manager V5.0 • Organizer V4.0 CardMinder V4.0 • FineReader 4.0 Connect to SharePoint ---Mac--- Manager V3.0	---Mac--- Adobe Acrobat 8 Professional for Mac, Manager V3.0 • Cardiris 3.6 FineReader for Mac 3.0 ---PC--- Manager V5.0	Microsoft Windows embedded software
Scanner Optics		CIS x 1	CIS x 1	CIS x 2	CIS x 2	CCD x 2	CCD x 2	CCD x 2	CCD x 2
Physical Dimensions	Size	10.74" x 1.87" x 1.33"	10.74" x 1.87" x 1.33"	11.18" x 3.74" x 3.03"	11.18" x 3.74" x 3.03"	11.5" x 6.2" x 6.3"	11.5" x 6.2" x 6.3"	11.5" x 6.2" x 6.3"	11.1" x 16.3" x 12.4"
	Weight	12.3 oz. (0.77 lb.)	12.3 oz. (0.77 lb.)	3.08 lb.	3.08 lb.	6.62 lb.	6.62 lb.	6.62 lb.	28.7 lb.
Imprinter Option		No	No	No	No	No	No	No	No
Options		Carry Case Carrier Sheet	Carry Case Carrier Sheet	Carry Case	Carry Case	Carry Case	Carry Case	Carry Case	Cleaning supplies
Additional Features		One-Button • CDF Function • Quick Menu • 2-Way Path • Instant OCR • Scan to Word, Excel, (PC: PowerPoint) • Highlighter Functions • Carrier Sheet Support	One-Button • CDF Function • Quick Menu • 2-Way Path • Instant OCR • Scan to Word, Excel, (PC: PowerPoint) • Highlighter Functions • Carrier Sheet Support	One-Button • Quick Menu • Password PDF • Instant OCR • Scan to Word, Excel, (PC: PowerPoint) • Highlighter Functions	One-Button • Quick Menu • Password PDF • Instant OCR • Scan to Word, Excel, (PC: PowerPoint) • Highlighter Functions	One-Button • Quick Menu • Password PDF • Instant OCR • Scan to Word, Excel, Powerpoint • Carrier Sheet (double-letter scanning) • Highlighter Functions	One-Button • Quick Menu • Password PDF • Instant OCR • Scan to Word, Excel, Powerpoint • Carrier Sheet (double-letter scanning) • Highlighter Functions	One-Button • Quick Menu • Searchable PDF Creation • Carrier Sheet (double-letter scanning) • Scan to Word & Excel • Highlighter Functions	Touch Screen XGA Display • 101 Keyboard • LDAP and OpenLDAP support • SSL (LDAPS, FTPS, HTTPS) • Central Administration Server • Job Function buttons • SDK (option) http://us.fujitsu.com/iscanner/solutions
Standard Warranty		1 Year Depot	1 Year Depot	1 Year Depot	1 Year Depot	1 Year Depot	1 Year Depot	1 Year Depot	3 months on-site
Extended Warranty Programs		Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange & On-Site Service
On-Site Service Details ³		N/A	N/A	N/A	N/A	N/A	N/A	N/A	Basic On-Site ScanCare On-Site

depending on which driver is used. Maximum resolution varies from 300-400 dpi. Long



Fujitsu Scanner Product Matrix

1/23/2011

Distributed Winter 2011		Mini-Flatbed	Workgroup				Departmental			
		fi-60F	fi-5015C	fi-6110	fi-6130	fi-6230	fi-6140	fi-6240	fi-5530C2	fi-4340C
										
List Price		\$395.00	\$695.00	\$895.00	\$1,195.00	\$1,995.00	\$1,995.00	\$2,495.00	\$3,995.00	\$4,995.00
Part #		PA03420-B005	PA03209-B505	PA03607-B005	PA03540-B055	PA03540-B555	PA03540-B005	PA03540-B505	PA03334-B605	PA03277-B015
Platform supported in the box		PC	PC	PC	PC	PC	PC	PC	PC	PC
Monochrome (Speed)²	200 dpi	1 second	15 ppm	20 ppm / 40 ipm	40 ppm / 80 ipm	40 ppm / 80 ipm	60 ppm / 120 ipm	60 ppm / 120 ipm	50 ppm / 100 ipm (Landscape)	40 ppm / 80 ipm
	300 dpi	-	9 ppm	20 ppm / 40 ipm	30 ppm / 60 ipm	30 ppm / 60 ipm	40 ppm / 80 ipm	40 ppm / 80 ipm	-	-
Color (Speed)²	150 dpi	1 second	15 ppm	20 ppm / 40 ipm	30 ppm / 60 ipm	30 ppm / 60 ipm	40 ppm / 80 ipm	40 ppm / 80 ipm	60 ppm / 120 ipm (Landscape)	34 ppm / 48 ipm
	200 dpi	1.7 second	-	20 ppm / 40 ipm	30 ppm / 60 ipm	30 ppm / 60 ipm	40 ppm / 80 ipm	40 ppm / 80 ipm	50 ppm / 100 ipm (Landscape)	16 ppm / 29 ipm
	300 dpi	-	-	20 ppm / 40 ipm	30 ppm / 60 ipm	30 ppm / 60 ipm	40 ppm / 80 ipm	40 ppm / 80 ipm	-	-
Grayscale		8 bit / 256 levels	8 bit / 256 levels	8 bit / 256 levels	8 bit / 256 levels	8 bit / 256 levels	8 bit / 256 levels	8 bit / 256 levels	8 bit / 256 levels	8 bit / 256 levels
Simplex / Duplex		Simplex	Simplex	Duplex	Duplex	Duplex	Duplex	Duplex	Duplex	Duplex
Flatbed (Dim.)		5.83" x 4.13"	Letter (8.5" x 11.7")	N/A	N/A	Letter (8.5" x 11")	N/A	Letter (8.5" x 11")	N/A	Letter (8.5" x 11")
Resolution	Optical	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi
	Output	Up to 600 dpi	Up to 600 dpi	Up to 600 dpi	50-600, (1200 S)	50-600, (1200 S)	Up to 600, 1200 S)	Up to 600, (1200 S)	50 - 600 dpi	100 - 600 dpi
Embossed Cards	Support	N/A	No	No	Yes (1.4 mm)	Yes (1.4 mm)	Yes (1.4 mm)	Yes (1.4 mm)	No (Hard card only)	No
	Orientation	N/A	N/A	N/A	Portrait & Landscape	Portrait & Landscape	Portrait & Landscape	Portrait & Landscape	Portrait	N/A
	Continuous	N/A	N/A	N/A	Up to 3 Card	Up to 3 Card	Up to 3 Hard Cards	Up to 3 Hard Cards	No	N/A
ADF (Paper)	ADF Capacity (A4)	N/A	50 Sheets	50 Sheets	50 Sheets	50 Sheets	50 Sheets	50 Sheets	100 Sheets	100 Sheets
	Min Paper Size	N/A	4.5" x 5.5"	2.1" x 2.9"	2.1" x 2.9"	2.1" x 2.9"	2.1" x 2.9"	2.1" x 2.9"	2.1" x 2.9"	2.1" x 2.9"
	Max Paper Size	N/A	Legal (8.5" x 14")	Legal (8.5" x 14")	Legal (8.5" x 14")	Legal (8.5" x 14")	Legal (8.5" x 14")	Legal (8.5" x 14")	A3 (11.7" x 17")	Legal (8.5" x 14")
	Paper Weight	N/A	14 - 34 lb.	14 - 34 lb.	11 - 56.2 lb.	11 - 56.2 lb.	11 - 56.2 lb.	11 - 56.2 lb.	14 - 34 lb.	14 - 34 lb.
Long Document		N/A	Yes (Up to 34") ¹	Yes (Up to 120")	Yes (Up to 10 feet)	Yes (Up to 10 feet)	Yes (Up to 10 feet) ¹	Yes (Up to 10 feet) ¹	Yes (Up to 34") ¹	Yes (Up to 60") ¹
Paper Protection		N/A	No	No	No	No	Yes	Yes	No	No
Interface		USB 2.0	USB 2.0	USB 2.0	USB 2.0	USB 2.0	Ultra SCSI / USB 2.0	Ultra SCSI / USB 2.0	Ultra SCSI / USB 2.0	SCSI-II (Video) / USB 2.0
Driver Support		ISIS® / TWAIN	ISIS® / TWAIN / VRS	ISIS® / TWAIN	ISIS® / TWAIN / VRS	ISIS® / TWAIN / VRS	ISIS® / TWAIN / VRS	ISIS® / TWAIN / VRS	ISIS® / TWAIN / VRS	ISIS® / TWAIN / VRS
Daily Duty Cycle		N/A	Up to 250	Up to 500	Up to 2,000	Up to 2,000	Up to 4,000	Up to 4,000	Up to 4,000	Up to 3,000
Multi-Feed	Detection	N/A	No	Ultra-Sonic and Length	Length, Ultra Sonic	Length, Ultra Sonic	Ultra Sonic / Length	Ultra Sonic / Length	Ultra Sonic / Length	Length
	IMFF	N/A	No	Manual Bypass	Manual Bypass	Manual Bypass	Yes (Automatic)	Yes (Automatic)	No	No
Image Enhancement		Integrated	No	No	VRS	VRS	VRS	VRS	VRS	VRS
Color Dropout		N/A	No	Std. R/G/B Dropout	Std. R/G/B Dropout	Std. R/G/B Dropout	Std. R/G/B Dropout	Std. R/G/B Dropout	Std. R/G/B Dropout	Std. R/G/B Dropout
Bundled Software		ScandAll Pro Lite ISIS® / TWAIN	Adobe Acrobat 9 Std. TWAIN / ISIS® ScandAll Pro	Adobe Acrobat 9 Std. TWAIN / ISIS® ScandAll Pro	Adobe Acrobat 9 Std., ScandAll Pro, Kofax VRS 4.5 Professional	Adobe Acrobat 9 Std., ScandAll Pro, Kofax VRS 4.5 Professional	Adobe Acrobat 9 Std., ScandAll Pro, Kofax VRS 4.5 Professional • TWAIN / ISIS®	Adobe Acrobat 9 Std., ScandAll Pro, Kofax VRS 4.5 Professional • TWAIN / ISIS®	Adobe Acrobat 9 Std., ScandAll Pro, Kofax VRS Pro 4.5 TWAIN / ISIS®	Adobe Acrobat 9 Std., ScandAll Pro, Kofax VRS Pro 4.5 TWAIN / ISIS®
Scanner Optics		CIS x 1	CCD x 1	CCD x 2	Dual CCD	3 x CCD	CCD x 2	CCD x 3	CCD x 2	CCD x 2
Physical Dimensions	Size	1.6" x 9.2" x 5.7"	7.5" x 13.3" x 17.8"	11.5" x 5.6" x 5.1"	11.9" x 6.3" x 6.2"	11.9" x 22.3" x 9.0"	11.9" x 6.3" x 6.2"	11.9" x 22.3" x 9.0"	11.5" x 16" x 9"	8.7" x 21.9" x 16.7"
	Weight	2 lb.	12 lb.	6.61 lb.	9.3 lb.	19.4 lb.	9.3 lb.	19.4 lb.	18.7 lb.	33.1 lb.
Imprinter Option		N/A	No	No	Yes	No	Yes	No	Yes	Yes
Options		Software IPC	Option: VRS Pro	Option: SIPC	Software IPC • Post Imprinter (fi-614PR)	Software IPC • Black Background Document Cover	Software IPC • Post-Imprinter (fi-6140PR)	Software IPC • Black Background Document Cover	Post-scan Imprinter	Post-scan Imprinter
Additional Features		Coverless Scanning • Auto Deskew • Auto Cropping • Content-based Rotation	Flatbed • Entry level TWAIN / ISIS®	Small Footprint	Reversing Brake Roller, Selectable White & Black Background	Reversing Brake Roller, Selectable White & Black Background	Reversing Brake Roller • Taper Technology • Selectable White & Black Background • Continuous 3 hard card scanning • On-board LSI	Reversing Brake Roller • Taper Technology • Selectable White & Black Background • Continuous 3 hard card scanning • On-board LSI	Black & White Selectable Backgrounds	Flatbed
Standard Warranty		1 Year Depot	1 Year Depot	1 Year Depot	1-year Advance Exchange	1-year Advance Exchange	1-year Advance Exchange	1-year Advance Exchange	3 months on-site	3 months on-site
Extended Warranty Programs		N/A	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange & On-Site Service	Advance Exchange & On-Site Service
On-Site Service Details³		N/A	N/A	N/A	N/A	N/A	N/A	N/A	Basic On-Site ScanCare On-Site	Basic On-Site ScanCare On-Site

¹Length may vary depending on which driver is used. Maximum

Fujitsu Production Scanner Matrix

Production Scanner Model		Low-Volume Production Scanners				Mid-Volume Production Scanners	
		fi-6670	fi-6670A	fi-6770	fi-6770A	fi-6800	fi-5950
							
List Price		\$5,995	\$6,995	\$7,995	\$8,995	\$19,995	\$24,995
Part #		PA03576-B505	PA03576-B535	PA03576-B005	PA03576-B035	PA03575-B005	PA03450-B505
Daily Duty Cycle (Pages per day)		Up to 15,000	Up to 15,000	Up to 15,000	Up to 15,000	Up to 60,000	Up to 100,000
Landscape (Monochrome, grayscale or color)	Speed @200DPI	90ppm/180ipm	90ppm/180ipm	90ppm/180ipm	90ppm/180ipm	130ppm/260ipm	135ppm/270ipm
	Speed @300DPI	80ppm/160ipm	80ppm/160ipm	80ppm/160ipm	80ppm/160ipm	130ppm/260ipm	135ppm/270ipm
Portrait (Monochrome, grayscale or color)	Speed @200DPI	70ppm/140ipm	70ppm/140ipm	70ppm/140ipm	70ppm/140ipm	100ppm/200ipm	105ppm/210ipm
	Speed @300DPI	60ppm/120ipm	60ppm/120ipm	60ppm/120ipm	60ppm/120ipm	100ppm/200ipm	105ppm/210ipm
Grayscale		8 Bit 256 Levels	8 Bit 256 Levels	8 Bit 256 Levels	8 Bit 256 Levels	8 Bit 256 Levels	8 Bit 256 Levels
Simplex/Duplex		Duplex	Duplex	Duplex	Duplex	Duplex	Duplex
Flatbed Max.		N/A	N/A	(11x17)	(11x17)	N/A	N/A
Resolution	Output	50-600dpi	50-600dpi	50-600dpi	50-600dpi	50-600dpi	50-600dpi
	Optical	600dpi	600dpi	600dpi	600dpi	600dpi	600dpi
ADF (Paper)	ADF Capacity	200 Sheet	200 Sheet	200 Sheet	200 Sheet	500 Sheet	500 Sheet
	ADF Min.	A8 (2 x 3)	A8 (2 x 3)	A8 (2 x 3)	A8 (2 x 3)	2.1" x 2.9"	2.1" x 2.9"
	ADF Max.	(11x17)	(11x17)	(11x17)	(11x17)	12" x 17"	12" x 17"
Interface		Ultra SCSI (50M) / USB 2.0 / third party slot	Ultra SCSI (50M) / USB 2.0 / Ultra SCSI (60M) CGA / USB 2.0 CGA	Ultra SCSI (50M) / USB 2.0 / third party slot	Ultra SCSI (50M) / USB 2.0 / Ultra SCSI (60M) CGA / USB 2.0 CGA	Ultra Wide SCSI & USB 2.0 / VRS Ultra Wide SCSI & VRS USB 2.0	Ultra Wide SCSI & USB 2.0 / VRS Ultra Wide SCSI & VRS USB 2.0 / third party slot
Color		24 Bit	24 Bit	24 Bit	24 Bit	24 Bit	24 Bit
Image Enhancement	Image Enhancement	VRS 4.5 Professional	Hardware assisted VRS 4.5 Professional3	VRS 4.5 Professional	Hardware assisted VRS 4.5 Professional3	Hardware assisted VRS 4.5 Professional3	Hardware assisted VRS 4.5 Professional3
	Options	VRS 4.5 Professional CGA with Enhanced Bar Code (EBC) recognition and Software IPC	Software IPC option ² (PN# PA43402-C22903)	VRS 4.5 Professional CGA with Enhanced Bar Code (EBC) recognition and Software IPC	Software IPC option ² (PN# PA43402-C22903)	VRS 4.5 Professional CGA with Enhanced Bar Code (EBC) recognition and Software IPC	VRS 4.5 Professional CGA with Enhanced Bar Code (EBC) recognition and Software IPC
Background		Switchable Black / White (ADF)	Switchable Black / White (ADF)	Switchable Black / White (ADF)	Switchable Black / White (ADF)	Switchable Black / White (ADF)	Switchable Black / White (ADF)
Drivers / Software Incl.		Twain, ISIS, VRS 4.5 Professional, Adobe Acrobat 9.0 Std, ScandAll PRO with SharePoint connect	Twain, ISIS, Hardware-assisted VRS 4.5 Professional CGA with Enhanced Bar Code (EBC) recognition, Adobe Acrobat 9.0 Std, ScandAll PRO with SharePoint connect	Twain, ISIS, VRS 4.5 Professional, Adobe Acrobat 9.0 Std, ScandAll PRO with SharePoint connect	Twain, ISIS, Hardware-assisted VRS 4.5 Professional CGA with Enhanced Bar Code (EBC) recognition, Adobe Acrobat 9.0 Std, ScandAll PRO with SharePoint connect	Twain, ISIS, Hardware-assisted VRS 4.5 Professional CGA with Enhanced Bar Code (EBC) recognition, Adobe Acrobat 9.0 Std, ScandAll Pro with SharePoint connect	Twain, ISIS, Hardware-assisted VRS 4.5 Professional CGA with Enhanced Bar Code (EBC) recognition, Adobe Acrobat 9.0 Std, ScandAll Pro with SharePoint connect
Hardware Incl.		USB 2.0 Cable	USB 2.0 Cable	USB 2.0 Cable	USB 2.0 Cable	USB 2.0 Cable	USB 2.0 Cable
Endorser/ Imprinter Options		40 Character Max Post Scan, Back side of Document	40 Character Max Post Scan, Back side of Document	N/A	N/A	40 Character Max Post-scan, Front side (PN# CG01000-531101) & 40 Character Max Post scan, Back side (PN# CG01000-531201)	40 Character Max Pre-scan, Front side (PN# CG01000-591501) & 40 Character Max Post scan, Back side (PN# CG01000-519601)
Color Dropout		Software Color Dropout	Software Color Dropout	Software Color Dropout	Software Color Dropout	Customized Color Dropout plus Std. R/G/B (selectable)	Customized Color Dropout plus Std. R/G/B (selectable)
Multifeed Detection		Ultrasonic Double Feed Detection with Intelligent MultiFeed Function (iMFF)	Ultrasonic Double Feed Detection with Intelligent MultiFeed Function (iMFF)	Ultrasonic Double Feed Detection with Intelligent MultiFeed Function (iMFF)	Ultrasonic Double Feed Detection with Intelligent MultiFeed Function (iMFF)	Triple Ultrasonic Double Feed Detection with Intelligent MultiFeed Function (iMFF) and 'retain image' feature	Triple Ultrasonic Double Feed Detection with Intelligent MultiFeed Function (iMFF) and 'retain image' feature
Long Document Scanning	ISIS Driver	120"	120"	120"	120"	120" ⁴	34" ⁴
	TWAIN Driver	120"	120"	120"	120"	120" ⁴	34" ⁴
Physical Dimensions	Dimensions (HxWxD)	11.5x25.2x16.9	11.5x25.2x16.9	13.5x27.2x19.7	13.5x27.2x19.7	18.1x16.9x12.2	20x21x21
	Weight (LBS)	44	44	77.2	77.2	70.5	110.4
Warranty ¹		3 months on-site	3 months on-site	3 months on-site	3 months on-site	3 months on-site	3 months on-site

¹ All on-site warranties are based on next day service. Some Cities have same day service. Call your supplier for details

² IPC Functions: Dynamic thresholding, Spot noise removal, OCR smoothing, Filtering, Automatic separation photo/text, Image emphasis, Reverse image, Zooming 25%-200% by 1% steps, Outline extraction, Mirror image, Background removal.

⁴ VirtualReScan™ Professional (VRS) Functions: Automatic color detection, Background saturation, Content-based rotation, Blank page deletion, White background cropping and Deskew, and Advanced Clarity

³ Monochrome support only. Maximum resolution varies from 300-400dpi. Long document scanning may not be supported by third-party software. Long document scanning is supported by ScandAll utility. Please refer to long document scanning matrix for specifics and limitations.